arlene 12/21/01 felect

Attorney at Law

225 Old Country Road Melville, New York 11747-2712 Tel No. (516) 361-8737 Fax No. (516) 361-8792

October 18, 2001

Commissioner of Patents Washington, DC 20231

APPLICANT: SERIAL NO.: William G. Wilhelm 08/820,496 (CPA)

FILING DATE:

March 19, 1997

GROUP ART UNIT:

2836

GROUP ART UNIT: 2836

EXAMINER: Fritz Fleming
TITLE: HIGH EFFICIENCY LIGHTING SYSTEM
OFFICE ACTION: 10/11/01

Dear Sir:

Enclosed please find Response to Restriction Requirement.04

Please acknowledge receipt on the enclosed postcard.

Respectfully yours,

Alfred M. Walker

Reg. No. 29,983

PAT Trans 10-17-01 Pat 8

I certify that this correspondence is being deposited with the United States Postal Service as Express Mail No.: FL35034734305 in an envelope addressed to the Commissioner of Patents, Washington, D.C. 20231 on the date indicated below.

Date: October/8, 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT:

William G. Wilhelm

SERIAL NO.:

09/820,496 (CPA)

FILED:

3/19/97

FOR:

HIGH EFFICIENCY LIGHTING SYSTEM

EXAMINER:

Fritz Fleming

GROUP ART UNIT:

2836

DATE OF OFFICE ACTION:

October 11, 2001

Hon. Commissioner of Patents Washington, D.C. 20231

RESPONSE TO RESTRICTION REQUIREMENT

Dear Sir:

In response to the Examiner's restriction requirement noted above, Applicant hereby elects to restrict the pending application to the invention noted in Group I, namely as described in Claims 49-54 and 56.

Please cancel claims 115 and 116.

A clean copy of Claims 49-54 and 56 is as follows:

- A power sharing system comprising:
- a primary source of AC;
- an alternative primary source of DC;
- a secondary source of DC;
- a power controller capable of inputting power simultaneously from said primary sources, said alternative primary source of DC making a shared contribution of power

selected by said power controller, and delivering a constant voltage DC to at least one DC compatible load at an output of said power sharing system;

said power controller having means to convert inputted electrical power into a defined DC-regulated voltage to provide and manage power to said DC compatible load; and,

said secondary source of DC being a battery to supply power in the event of a failure in a primary source of I power controllinged condition.

The power system of Claim 49 wherein said DC 2800 MALL ROOM.

The power system of Claim 49 wherein said DC 2800 MALL ROOM. power, said power controller maintaining said battery in a fully charged condition.

- 50. compatible load is a lighting system.
- 51. alternative primary source of DC is a storage medium.
- 52. The power system of Claim 49 wherein said alternative primary source of DC photo voltaic.
- The power system of Claim 49 wherein said alternative primary source of DC is a cogenerator.
 - 54. The power system of Claim 49 wherein said

alternative primary source of DC is a wind energy conversion system.

56. The power system as in Claim 49 in which said power controller has circuitry for combining power from said alternative primary source of DC and said battery in the absence of power from said primary source of AC.

TC 2800 MAIL ROOM

DEC 13 2001